

9-1.

∴ ,  
1200-1400° ,  
70% ( ) .

7:11.

- 1 . : - , - , - . (3 3 )
- 2 . - SiC (2 )
- 3 . (2 )
- 4 . 7:11. (3 )  
**10**

9-2.

1,42  
0,071  
1,24  
0,31 . 1 ?

- 1 . , (4 4 )
- 2 . , (5 )
- 3 . (1 )

: (Cu) = 5%; (Cu<sub>2</sub>O) = 45%; (CuO) = 50%  
0,85

**9-3.**

2/5

1/10

1 (4 4 )

2 (3 )

3 (3 )

: 20% NH<sub>3</sub>, 30% 4 50% 2.

**10**

**9-4**

( , -11.

?)

5

1. (1 )

2. (2 )


3. - 2 - (2 )

4. 5 . ( 1 5 )

**10**

**9-5.**

( - F)



1. — , . - F.  
 2. ) ;  
 ) ;  
 ) .

1 . A - F (4 ,  
 0,5 1 )  
 2 . (3,5 , 0,5 7 )  
 3 . ( - )  
 (2,5 )

: A – H<sub>2</sub>SO<sub>4</sub>; B – BaSO<sub>4</sub>; C – BaS; D – H<sub>2</sub>S; E – S; F – SO<sub>2</sub>.